

Custom Build Catalogue

Price:



Trailer GX390

Description:

- Annovi Reverberi Crankcase ceramic piston pump
- 2:1 Reduction gearbox (B24) *if applicable
- GX390 Honda Petrol engine
- VRT3 adjustable unloader valve (bypass back to tank)
- SVT28 safety valve
- Low water cut out switch and 1" inlet water filter
- PS 400 litre water supply tank with float valve, drain valve and lid
- Large galvanized hose reel with 1/2" brass HP swivel
- 50m 3/8" 2 wire braided high pressure hose
- MV951 Trigger gun with 900mm stainless steel lance
- Quick Connect nozzle set of 4
- Purpose built heavy single axle unbraked/braked trailer
- WOF & REG
- Factory tested and ready to go







Dry Weight:		
525 kg		
Dimentions (mm):		
Tank Colour Options:		

Standard Tank Sizes:			
240L	400L	750L	1000L

Optional Extras:	Accessory Options:
 Upgrade to 100m high pressure 3/8" 2 wire braided hose Upgrade GX390 Engine to Electric start Venturi chemical system Low pressure water feed hose with medium galvanized reel 	 • 5m Telescopic lance • 7m Telescopic lance • Foamer attachment • 18" Surface cleaner • Rotary nozzle

Prices include GST. Prices include plug/tag & test. Factory tested before delivery, freight not included.



Trailer GX630/690

Price:

Description:

- Annovi Reverberi Crankcase ceramic piston pump
- 2:1 Reduction gearbox (B31)
- GX630/GX690 Honda V-Twin Petrol engine (Built-in hour meter)
- 22.7L fuel tank and 12V MFU1 battery (with box)
- VRT100 adjustable unloader valve (bypass back to tank)
- VS310 Safety valve
- Low water cut out switch and 1" inlet water filter
- PS 400 litre water supply tank with float valve, drain valve and lid
- Large galvanized hose reel with 1/2" brass HP swivel
- 50m 3/8" 2 wire braided high pressure hose
- MV951 Trigger gun with 900mm stainless steel lance
- Quick Connect nozzle set of 4
- Purpose built heavy single axle unbraked/braked trailer
- WOF & REG
- Factory tested and ready to go



Pump Options:	Max Pressure Rating:	Drive Option:
RKV5.5G40	4000psi / 20.8Lpm	Direct
XW21.28	4061psi / 21Lpm	2:1 ratio Gearbox
XWA7G40	4000psi / 26.5Lpm	2:1 ratio Gearbox
XW30.25	3000psi / 30Lpm	2:1 ratio Gearbox
XW21.35	5000psi / 21Lpm	2:1 ratio Gearbox

Dry Weight:		
560 kg		
Dimentions (mm):		
Tank Colour Options:		

Standard Tank Sizes:			
240L	400L	750L	1000L

Optional Extras:	Accessory Options:	
 Upgrade to 100m high pressure 3/8" 2 wire braided hose Upgrade GX390 Engine to Electric start Venturi chemical system Low pressure water feed hose with medium galvanized reel 	5m Telescopic lance7m Telescopic lance18" Surface cleanerRotary nozzle	Sandblasting kit Foamer attachment

Prices include GST. Prices include plug/tag & test. Factory tested before delivery, freight not included.



Trailer iGX800

Price:

Description:

- Annovi Reverberi Crankcase ceramic piston pump
- 2:1 Reduction gearbox (B31)
- iGX800 Honda V-Twin Petrol engine (Built-in hour meter)
- 22.7L fuel tank and 12V MFU1 battery (with box)
- VRT100 / VHP51 unloader valve (bypass back to tank)
- VS310 / SV50 Safety valve
- Low water cut out switch and 1" inlet water filter
- PS 400 litre water supply tank with float valve, drain valve and lid
- Large galvanized hose reel with 1/2" brass HP swivel / Custom reel for 7250spi unit
- 50m 3/8" 2 wire braided or 40m 10000psi rated 3/8" high pressure hose
- MV951 / ML710 Trigger gun options with a 1200mm stainless steel lance
- 1/4" MEG spray nozzle with holder
- Purpose built heavy single axle unbraked/braked trailer
- WOF & REG
- Factory tested and ready to go

Pump Options:	Max Pressure Rating:	Drive Option:
XW41.20	2900psi / 41Lpm	2:1 ratio Gearbox
SHP22.50	7250psi / 22Lpm	2:1 ratio Gearbox

Dry Weight:		
810 kg		
Dimentions (mm):		
Tank Colour Options:		

Standard Tank Sizes:			
240L	400L	750L	1000L

Optional Extras:	Accessory Options:
Upgrade length of hose to suit your needsLow pressure water feed hose with medium galvanized reel	Rotary nozzleSandblasting kit

Prices include GST. Prices include plug/tag & test. Factory tested before delivery, freight not included.