




# Custom Build Catalogue

## Trailer GX390

Price:

### Description:

- Annovi Reverberi Crankcase ceramic piston pump
- 2:1 Reduction gearbox (B24) \*if applicable
- GX390 Honda Petrol engine
- VRT3 adjustable unloader valve (bypass back to tank)
- SVT28 safety valve
- Low water cut out switch and 1" inlet water filter
- PS 400 litre water supply tank with float valve, drain valve and lid
- Large galvanized hose reel with 1/2" brass HP swivel
- 50m 3/8" 2 wire braided high pressure hose
- MV951 Trigger gun with 900mm stainless steel lance
- Quick Connect nozzle set of 4
- Purpose built heavy single axle unbraked/braked trailer
- WOF & REG
- Factory tested and ready to go



Pump Options:	Max Pressure Rating:	Drive Option:
RKV4G40	4000psi / 15Lpm	Direct
RKV4.5G40	4000psi / 17Lpm	Direct
RKV5.5G40	4000psi / 21Lpm	Direct
XW21.20	3000psi / 21Lpm	2:1 ratio Gearbox

<b>Dry Weight:</b>
525 kg
<b>Dimintions (mm):</b>
<b>Tank Colour Options:</b>


Standard Tank Sizes:			
240L	400L	750L	1000L

Optional Extras:	Accessory Options:	
<ul style="list-style-type: none"> <li>• Upgrade to 100m high pressure 3/8" 2 wire braided hose</li> <li>• Upgrade GX390 Engine to Electric start</li> <li>• Venturi chemical system</li> <li>• Low pressure water feed hose with medium galvanized reel</li> </ul>	<ul style="list-style-type: none"> <li>• 5m Telescopic lance</li> <li>• 7m Telescopic lance</li> <li>• 18" Surface cleaner</li> <li>• Rotary nozzle</li> </ul>	<ul style="list-style-type: none"> <li>• Sandblasting kit</li> <li>• Foamer attachment</li> </ul>

Prices include GST. Prices include plug/tag & test. Factory tested before delivery, freight not included.

## Trailer GX630/690

Price:

### Description:

- Annovi Reverberi Crankcase ceramic piston pump
- 2:1 Reduction gearbox (B31)
- GX630/GX690 Honda V-Twin Petrol engine (Built-in hour meter)
- 22.7L fuel tank and 12V MFU1 battery (with box)
- VRT100 adjustable unloader valve (bypass back to tank)
- VS310 Safety valve
- Low water cut out switch and 1" inlet water filter
- PS 400 litre water supply tank with float valve, drain valve and lid
- Large galvanized hose reel with 1/2" brass HP swivel
- 50m 3/8" 2 wire braided high pressure hose
- MV951 Trigger gun with 900mm stainless steel lance
- Quick Connect nozzle set of 4
- Purpose built heavy single axle unbraked/braked trailer
- WOF & REG
- Factory tested and ready to go



Pump Options:	Max Pressure Rating:	Drive Option:
RKV5.5G40	4000psi / 20.8Lpm	Direct
XW21.28	4061psi / 21Lpm	2:1 ratio Gearbox
XWA7G40	4000psi / 26.5Lpm	2:1 ratio Gearbox
XW30.25	3000psi / 30Lpm	2:1 ratio Gearbox
XW21.35	5000psi / 21Lpm	2:1 ratio Gearbox

**Dry Weight:**  
560 kg

**Dimensions (mm):**

**Tank Colour Options:**

Standard Tank Sizes:			
240L	400L	750L	1000L

Optional Extras:	Accessory Options:	
<ul style="list-style-type: none"> <li>• Upgrade to 100m high pressure 3/8" 2 wire braided hose</li> <li>• Upgrade GX390 Engine to Electric start</li> <li>• Venturi chemical system</li> <li>• Low pressure water feed hose with medium galvanized reel</li> </ul>	<ul style="list-style-type: none"> <li>• 5m Telescopic lance</li> <li>• 7m Telescopic lance</li> <li>• 18" Surface cleaner</li> <li>• Rotary nozzle</li> </ul>	<ul style="list-style-type: none"> <li>• Sandblasting kit</li> <li>• Foamer attachment</li> </ul>

Prices include GST. Prices include plug/tag & test. Factory tested before delivery, freight not included.

## Trailer iGX800

Price:

### Description:

- Annovi Reverberi Crankcase ceramic piston pump
- 2:1 Reduction gearbox (B31)
- iGX800 Honda V-Twin Petrol engine (Built-in hour meter)
- 22.7L fuel tank and 12V MFU1 battery (with box)
- VRT100 / VHP51 unloader valve (bypass back to tank)
- VS310 / SV50 Safety valve
- Low water cut out switch and 1" inlet water filter
- PS 400 litre water supply tank with float valve, drain valve and lid
- Large galvanized hose reel with 1/2" brass HP swivel / Custom reel for 7250psi unit
- 50m 3/8" 2 wire braided or 40m 10000psi rated 3/8" high pressure hose
- MV951 / ML710 Trigger gun options with a 1200mm stainless steel lance
- 1/4" MEG spray nozzle with holder
- Purpose built heavy single axle unbraked/braked trailer
- WOF & REG
- Factory tested and ready to go



Pump Options:	Max Pressure Rating:	Drive Option:
XW41.20	2900psi / 41Lpm	2:1 ratio Gearbox
SHP22.50	7250psi / 22Lpm	2:1 ratio Gearbox

<b>Dry Weight:</b>
810 kg
<b>Dimensions (mm):</b>
<b>Tank Colour Options:</b>
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>

Standard Tank Sizes:			
240L	400L	750L	1000L

Optional Extras:	Accessory Options:
<ul style="list-style-type: none"> <li>• Upgrade length of hose to suit your needs</li> <li>• Low pressure water feed hose with medium galvanized reel</li> </ul>	<ul style="list-style-type: none"> <li>• Rotary nozzle</li> <li>• Sandblasting kit</li> </ul>

Prices include GST. Prices include plug/tag & test. Factory tested before delivery, freight not included.