



Custom Build Catalogue

Skid/Frame Hot GX390/630/690

Price:

Description:

- Annovi Reverberi Crankcase ceramic piston pump
- 2:1 Reduction gearbox (B24) *if applicable
- 12V MFU1 battery (with box)
- 22.7L fuel tank *if applicable and 25L diesel tank
- VRT3 adjustable unloader valve (bypass back to tank)
- SVT28 safety valve
- Low water cut out switch and 1" inlet water filter
- PS 400 litre water supply tank with float valve, drain valve and lid
- 12V TRES 2000/3 boiler (rated up to 4000psi @ 30LPM)
- Large galvanized hose reel with 1/2" brass HP swivel
- 50m 3/8" 2 wire braided high pressure hose
- MV951 Trigger gun with 900mm stainless steel lance
- Quick Connect nozzle set of 4
- Purpose built heavy duty galvanised frame
- Factory tested and ready to go



Pump Options:	Max Pressure Rating:	Drive Option:
RKV4G40	4000psi / 15Lpm	Direct
RKV4.5G40	4000psi / 17Lpm	Direct
RKV5.5G40	4000psi / 21Lpm	Direct
XW15.20	3000psi / 15Lpm	2:1 ratio Gearbox
XW21.20	3000psi / 21Lpm	2:1 ratio Gearbox
XW21.28	4061psi / 21Lpm	2:1 ratio Gearbox
XWA7G40	4000psi / 26.5Lpm	2:1 ratio Gearbox
XW30.25	3000psi / 30Lpm	2:1 ratio Gearbox
XW21.35	5000psi / 21Lpm	2:1 ratio Gearbox

Dry Weight:
410 kg

Dimensions (mm):

Tank Colour Options:

Engine Options: (All electric start)

- GX390 Honda petrol engine
- GX630 Honda petrol V-Twin engine (built-in hour meter)
- GX690 Honda Petrol V- Twin engine (built-in hour meter)
- *Diesel engines options also available

Prices include GST. Prices include plug/tag & test. Factory tested before delivery, freight not included.

Trailer Hot GX390/630/690

Price:

Description:

- Annovi Reverberi Crankcase ceramic piston pump
- 2:1 Reduction gearbox (B31) *if applicable
- 12V MFU1 battery (with box)
- 22.7L fuel tank *if applicable and 25L diesel tank
- VRT100 adjustable unloader valve (bypass back to tank)
- VS310 safety valve
- Low water cut out switch and 1" inlet water filter
- PS 400 litre water supply tank with float valve, drain valve and lid
- 12V TREX 2000/3 boiler (rated up to 4000psi @ 30LPM)
- Large galvanized hose reel with 1/2" brass HP swivel
- 50m 3/8" 2 wire braided high pressure hose
- MV951 Trigger gun with 900mm stainless steel lance
- Quick Connect nozzle set of 4
- Purpose built heavy single axle unbraked/braked trailer
- WOF & REG
- Factory tested and ready to go



Pump Options:	Max Pressure Rating:	Drive Option:
RKV4G40	4000psi / 15Lpm	Direct
RKV4.5G40	4000psi / 17Lpm	Direct
RKV5.5G40	4000psi / 21Lpm	Direct
XW15.20	3000psi / 15Lpm	2:1 ratio Gearbox
XW21.20	3000psi / 21Lpm	2:1 ratio Gearbox
XW21.28	4061psi / 21Lpm	2:1 ratio Gearbox
XWA7G40	4000psi / 26.5Lpm	2:1 ratio Gearbox
XW30.25	3000psi / 30Lpm	2:1 ratio Gearbox
XW21.35	5000psi / 21Lpm	2:1 ratio Gearbox

Dry Weight:
580 kg

Dimensions (mm):

Tank Colour Options:



Engine Options: (All electric start)

- GX390 Honda petrol engine
- GX630 Honda petrol V-Twin engine (built-in hour meter)
- GX690 Honda Petrol V- Twin engine (built-in hour meter)
- *Diesel engines options also available

Prices include GST. Prices include plug/tag & test. Factory tested before delivery, freight not included.